

(a) mm	(b) mm	(c) mm	(d) mm	(e) mm
1000	800	712	512	180
1200	800	912	512	180
1200	900	912	612	180

### **DETAILED DESCRIPTION**

SENSTEC Anti-Slip shower trays have a unique integrated profile that has been designed to not only increase grip levels, but is also comfortable to stand on and is easily cleaned. EN 14527 Class 1. The base of the Tray must be adequately supported.

### **ANTI-SLIP PROPERTIES**

UKAS accredited laboratory results. Pendulum Test, BS 7976 2:2002, With the NON REQUIRED addition of contaminant to reflect a showering environment, PTV value of 48. Ramp Test DIN 51097, Ramp angle of 30 degrees, best category classification of C. SENSTEC Ant-Slip properties fall into best possible classifications when tested to BS7976 2:2002 and DIN 51097. User Experience testing carried out by University of Ulster showed 94% very positive.

## MATERIAL

Gelcoat surface, stone resin fill.

#### DEPTH

36 mm.

#### COLOUR

Available in all colours.

## WASTE

SENSTEC shower trays have been designed exclusively for use with McAlpine ST90CPB-S-HP2 or ST90CPB-S-70, with flow rates of 42 and 34 litres per minute respectively when tested in accordance with EN274-2:2002.

http://mcalpineplumbing.com

### NOTES:

# WASTE

SENSTEC shower travs have been designed exclusively for use with McAlpine ST90CPB-S-HP2 or ST90CPB-S-70, with flow rates of 42 and 34 litres per minute respectively when tested in accordance with EN274-2:2002. http://mcalpineplumbing.com

### WATERPROOFING

When installing a SENSTEC Anti-Slip shower tray it is recommended to use the Classi Bathroom Waterproofing range of products http://waterproofyourbathroom. com/shower-trays

### CLEANING

Ensure that the tray is washed with soap and water and dried with a soft cloth after each use.

ORIGINAL BY SENSTEC	DATE 10/04/2019		
Contact SENSTEC (185 Omagh Road   Ballygawley   Dungannon   Co. Tyrone   N.Ireland   BT70 2AL VICTOR   STOCK   STOC			
			Drawing Number: SENS
THIS DRAWING IS PROPERTY OF SENSTEC AND REMAINS PROPERTY OF SENSTEC. ANY DRAWING DISCREPENCY SHOULD BE NOTIFIED TO THE DRAWING ORIGINATOR IMMEDIATELY. THIS DRAWING SHOULD NO THIS DRAWING IS FOR PLANNING PURPOSES ONLY & NO DIMENSIONS SCALING SHOULD BE USED FOR FABRICATION. ALL DIMENSIONS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE OF ANY PROPOSALS			

2 Anti-Slip ShowerTray Offset Quadrant RH

Tray Size Schedule